according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 1/11



SanoClean Forte Whirlpool

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation:

SanoClean Forte Whirlpool

UFI:

M3NV-RT24-2J98-62C9

1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/mixture:

Disinfectant

1.3. Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor):

Sanosil

Eichtalstrasse 49 8634 Hombrechtikon Switzerland

Telephone: +41 55 254 00 54 Telefax: +41 55 254 00 59 E-mail: kundeninfo@sanosil.ch Website: www.sanosil.ch

1.4. Emergency telephone number

United States of America: Poison control center - national hotline number 1-800-222-1222

Great Britain: National phone number 111
Relaium: Centre antipoisons +32,070,245

Belgium: Centre antipoisons +32 070 245 245 / Bulgaria: +359 2 9154 233 / Croatia: +3851 2348 342 / Cyprus: +357 1401 / Czech Republic: +420 224 919 293, +420 224 915 402 / Denmark: +45 82 12 12 12 / Estonia: +372 16662, +372 7943 794 / Finland: +358 09 471 77 / France: numéro ORFILA (INRS): +33 (0)1 45 42 59 59 / Greece: +30 21077 93777 / Hungary: +36 80 201 199 (24 hours) / Ireland: +353 (1) 809 2166 / Italy: +39 06 4997800 / Lithuania: +370 (85) 2362052 / Luxembourg: +352 8002 5500 / The Nederlands: +31 (0) 30 274 8888 / Norway: +47 22 59 13 00 / Portugal: +351 800 250 250 / Romania: +402 213 183 606 / Slovakia: +421 2 5477 4166 / Spain: National Emergency Telephone Number: +34 91 562 04 20 / Sweden: +46 112 (emergency 24 hours), +46 08-331231 (monfri 9.00-17.00).

European Union: Call 112 if no specific phone number available.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

en / ES / US / CA / GB / FR / IT

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 2/11



SanoClean Forte Whirlpool

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms:



GHS05 Corrosion

Signal word: Danger

Hazard statements for health hazards	
H318	Causes serious eye damage.

Hazard statements for environmental hazards	
H412	Harmful to aquatic life with long lasting effects.

Supplemental hazard information: none

Precautionary statements Prevention		
P273 Avoid release to the environment.		
P280 Wear protective gloves/protective clothing/eye protection/face protection.		

Precautionary statements Response			
P305 + P351 + P338	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
P310	Immediately call a POISON CENTER/doctor/etc		

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients / Hazardous impurities / Stabilisers:

Product identifiers	Substance name Classification according to Regulation (EC) No 1272/2008 [CLP]	Concentration
CAS No.: 7722-84-1 EC No.: 231-765-0 Index No.: 008-003-00-9 REACH No.: 01-2119485845-22-XXXX	hydrogen peroxide Acute Tox. 4 (H332, H302), Ox. Liq. 1 (H271), Skin Corr. 1A (H314) ♠ ♠ ♠ ♠ ♠ Danger Specific concentration limit (SCL) Ox. Liq. 1, Skin Corr. 1A; H271-H314: $C \ge 70\%$ Ox. Liq. 2, Skin Corr. 1B; H272-H314: $50\% \le C < 70\%$ Skin Irrit. 2; H315: $35\% \le C < 50\%$ Eye Dam. 1; H318: $C \ge 8\%$ Eye Irrit. 2; H319: $5\% \le C < 8\%$ STOT SE 3; H335: $C \ge 35\%$	5 - < 8 weight-%
CAS No.: 160875-66-1	Poly(oxy-1,2-ethanediyl), alpha(2- propylheptyl)omegahydroxy Acute Tox. 4 (H302), Eye Dam. 1 (H318) Danger	2 - < 5 weight-%
CAS No.: 26468-86-0	2-Ethylhexanol-3 EO Eye Dam. 1 (H318) Danger	2 - < 5 weight-%
CAS No.: 7440-22-4 EC No.: 231-131-3 REACH No.: 01-2119555669-21-0036	Aquatic Chronic 1 (H410) Warning M-factor (acute): 100 M-factor (chronic): 100	< 0.02 weight-%

Full text of H- and EUH-phrases: see section 16.

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 3/11



SanoClean Forte Whirlpool

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove victim out of the danger area. Remove contaminated, saturated clothing. If unconscious but breathing normally, place in recovery position and seek medical advice. Do not leave affected person unattended. Warning First aider: Pay attention to self-protection!

Following inhalation:

Provide fresh air. In case of respiratory tract irritation, consult a physician.

In case of skin contact:

After contact with skin, wash immediately with plenty of water and soap. If skin irritation or rash occurs: Get medical advice/attention.

After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion:

Rinse mouth. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. Never give anything by mouth to an unconscious person or a person with cramps. Get immediate medical advice/attention.

Self-protection of the first aider:

Use personal protection equipment.

4.2. Most important symptoms and effects, both acute and delayed

Serious eye damage/eye irritation

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

The product itself does not burn. Water, Dry extinguishing powder, Carbon dioxide (CO2), alcohol resistant foam.

Unsuitable extinguishing media:

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon monoxide, Carbon dioxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Keep closed containers cool by spraying water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Personal precautions:

Avoid contact with skin, eyes and clothes.

Provide adequate ventilation.

Remove persons to safety.

Use personal protection equipment.

en / ES / US / CA / GB / FR / IT

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 4/11



SanoClean Forte Whirlpool

Protective equipment:

Wear protective gloves/protective clothing/eye protection/face protection. See section 8.

6.1.2. For emergency responders

Personal protection equipment:

Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment:

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

6.5. Additional information

Use appropriate container to avoid environmental contamination.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Protective measures

Advices on safe handling:

Wear personal protection equipment (refer to section 8).

Advices on general occupational hygiene

When using do not eat, drink or smoke. Avoid contact with eyes and skin.

* 7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels:

Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

Hints on storage assembly:

Do not store together with strong acids. Keep away from oxidising agents.

Storage class (TRGS 510, Germany): 12 - non-combustible liquids that cannot be assigned to any of the above storage classes

7.3. Specific end use(s)

No data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Occupational exposure limit values

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
Alberta (CA)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.4 mg/m³) ⑤ 3
ES	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.4 mg/m³)
BC (CA)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 5/11



SanoClean Forte Whirlpool

Limit value type (country of origin)	Substance name	 Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
VLA (FR)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.5 mg/m³)
WEL (GB)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.4 mg/m³) ② 2 ppm (2.8 mg/m³)
IDLH (US) from 1 Jan 1994	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 75 ppm
OSHA (US)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.4 mg/m³)
NIOSH (US)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.4 mg/m³)
ACGIH (US)	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm (1.4 mg/m³)
Québec (CA) from 1 Apr 2022	hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0	① 1 ppm
IOELV (EU)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ (silver compounds, soluble, calculated as Ag)
VRI (FR) from 3 May 2021	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ Argent composés, soluble, calculé comme Ag
WEL (GB)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ (compounds, soluble; calculated as Ag)
NIOSH (US)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ compounds, soluble; calculated as Ag
IOELV (EU)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³ ⑤ (metal)
WEL (GB)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³ ⑤ (metal)
VRI (FR) from 3 May 2021	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³ ⑤ (métal)
ACGIH (US)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ compounds, soluble
OSHA (US)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³
Alberta (CA)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³ ⑤ (metal)
Alberta (CA)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ compounds, soluble

en / ES / US / CA / GB / FR / IT

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 **Print date:** 19 Feb 2024

Version: 3 Page 6/11



SanoClean Forte Whirlpool

Limit value type (country of origin)	Substance name	Long-term occupational exposure limit value Short-term occupational exposure limit value Instantaneous value Monitoring and observation processes Remark
BC (CA) from 16 Jun 2016	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ② 0.03 mg/m³
Québec (CA)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ compounds, soluble; calculated as Ag
ES from 1 May 2021	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³ ⑤ (composiciones de plata, soluble, calculado como Ag) c, VLI
ES from 8 Jun 2023	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³ ⑤ (metal) VLI
IDLH (US) from 1 Jan 1994	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 10 Ag/m3
IDLH (US) from 1 Jan 1994	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 10 Ag/m3 ⑤ (compounds, soluble)
Québec (CA)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³ ⑤ (metal)
NIOSH (US)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.01 mg/m³
ACGIH (US)	silver CAS No.: 7440-22-4 EC No.: 231-131-3	① 0.1 mg/m³

8.1.2. Biological limit values

No data available

8.1.3. DNEL-/PNEC-values

No data available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

8.2.2. Personal protection equipment





Eye/face protection:

Eye glasses with side protection EN 166

Skin protection:

Use protective gloves in accordance to EN 374. The following material is suitable: NBR. Minimal thickness 0.4 mm. Normal duration of use: min. 6 hours

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. Respiratory protection according to EN 136 or EN 140 with filter ABEK-P3.

8.2.3. Environmental exposure controls

No data available

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 **Print date:** 19 Feb 2024

Version: 3 Page 7/11



SanoClean Forte Whirlpool

SECTION 9: Physical and chemical properties

* 9.1. Information on basic physical and chemical properties

Appearance

Physical state: Liquid Colour: colourless

Odour: odourless

Safety relevant basis data

Parameter	Value	at °C	1 Method
			② Remark
рН	2 - 4	20 °C	
Melting point	No data available		
Freezing point	No data available		
Initial boiling point and boiling range	101 °C		
Decomposition temperature	not applicable		
Flash point	not applicable		
Evaporation rate	No data available		
Auto-ignition temperature	not applicable		
Upper/lower flammability or explosive limits	not applicable		
Vapour pressure	23 hPa	20 °C	
Vapour density	No data available		
Density	≈ 1 - 1.05 g/cm ³	20 °C	
Bulk density	not applicable		
Water solubility	completely miscible		
Dynamic viscosity	No data available		
Kinematic viscosity	No data available		

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Strong acid, Strong alkali, Oxidizing agent

10.5. Incompatible materials

No data available

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

hydrogen peroxide CAS	S No.: 7722-84-1 EC No.: 231-765-0		
LD₅₀ oral: 376 mg/kg (R	lat)		
LD₅₀ dermal: 3,000 mg/kg (Rat)			
LC ₅₀ Acute inhalation	toxicity (vapour): 2 mg/L 4 h (Rat)		

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 8/11



SanoClean Forte Whirlpool

Acute oral toxicity:

Based on available data, the classification criteria are not met.

Acute dermal toxicity:

Based on available data, the classification criteria are not met.

Acute inhalation toxicity:

Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Causes serious eye damage.

Serious eye damage/irritation:

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties:

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0

LC₅₀: 16.4 mg/L (Fish)

LC₅₀: 2 mg/L (Daphnia pulex)

EC₅₀: 1.38 mg/L (Alga)

silver CAS No.: 7440-22-4 EC No.: 231-131-3

LC₅₀: 0.015 mg/L 2 d (shellfish)

LC₅₀: 0.00012 mg/L 4 d (fish)

EC₅₀: 0.0092 mg/L 2 d (shellfish)

EC₅₀: 0.00198 mg/L 3 d (Alga)

EC₅₀: 0.00022 mg/L 2 d (Daphnia magna (Big water flea))

LC₅₀: 0.00807 mg/L 4 d (fish)

Aquatic toxicity:

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0

Biodegradation: Yes, rapidly

silver CAS No.: 7440-22-4 EC No.: 231-131-3

Biodegradation: Yes, slowly

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 9/11



SanoClean Forte Whirlpool

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

hydrogen peroxide CAS No.: 7722-84-1 EC No.: 231-765-0

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

Poly(oxy-1,2-ethanediyl), alpha.-(2- propylheptyl)-.omega.-hydroxy CAS No.: 160875-66-1

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

silver CAS No.: 7440-22-4 EC No.: 231-131-3

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

2-Ethylhexanol-3 EO CAS No.: 26468-86-0

Results of PBT and vPvB assessment: This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product may not be eliminated as municipal solid waste nor allowed to end up in the drainage system. These packs can be delivered packaging-specific to the existing collection points for hazardous waste.

13.1.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

Waste code product

16 05 07 * discarded inorganic chemicals consisting of or containing hazardous substances

*: Evidence for disposal must be provided.

Remark:

Wastecode according to regulation EU 2014/955

Waste code packaging

15 01 02 Plastic packaging

Waste treatment options

Appropriate disposal / Product:

Dispose of used product in its original packaging as special waste.

Appropriate disposal / Package:

Empty packaging can be recycled or eliminated as municipal solid waste.

SECTION 14: Transport information

Land transport (ADR/RID)	(ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)	
14.1. UN number or	ID number			
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	
14.2. UN proper shipping name				
No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	No dangerous good in sense of these transport regulations.	

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 10/11



SanoClean Forte Whirlpool

Land transport (ADR/RID)	Inland waterway craft (ADN)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)			
14.3. Transport hazard class(es)						
not relevant	not relevant	not relevant	not relevant			
14.4. Packing group						
not relevant	not relevant	not relevant	not relevant			
14.5. Environmental hazards						
not relevant	not relevant	not relevant	not relevant			
14.6. Special precautions for user						
not relevant not relevant not relevant not relevant						

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU legislation

Other regulations (EU):

Regulation (EU) No. 528/2012 on biocides

15.1.2. National regulations

No data available

15.2. Chemical Safety Assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1. Indication of changes

	<u> </u>		
7.2.	7.2. Conditions for safe storage, including any incompatibilities		
9.1.	Information on basic physical and chemical properties		
13.1.	Waste treatment methods		

16.2. Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR European agreement concerning the international carriage of dangerous goods by road

CAS Chemical Abstract Service

CLP Classification, labelling and Packaging

EC₅₀ Effective Concentration 50%

EN European norm

IATA International Air Transport Association

IMDG-Code International Maritime Dangerous Goods Code

LC₅₀ Lethal Concentration 50%

LD₅₀ Lethal Dose 50%

OECD Organization for Economic Cooperation and Development

PBT persistent, bioaccumulative, toxic

PNEC Predicted No Effect Concentration

REACH Registration, Evaluation and Authorization of Chemicals

RID Regulations concerning the international carriage of dangerous goods by rail

SVHC Substance of Very High Concern

UN United Nations

VOC Volatile organic compounds

vPvB very persistent, very bioaccumulative

according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 19 Feb 2024 Print date: 19 Feb 2024

Version: 3 Page 11/11



SanoClean Forte Whirlpool

16.3. Key literature references and sources for data

Security safety data sheet of the ingredients. Inventory of substances of the European Chemical Agency (ECHA), GESTIS database

16.4. Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Hazard classes and hazard categories	Hazard statements	Classification procedure
Serious eye damage/eye irritation (Eye Dam. 1)	H318: Causes serious eye damage.	Calculation method.
· ·	H412: Harmful to aquatic life with long lasting effects.	Calculation method.

16.5. List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Hazard state	Hazard statements			
H271	May cause fire or explosion; strong oxidiser.			
H272	May intensify fire; oxidiser.			
H302	Harmful if swallowed.			
H314 Causes severe skin burns and eye damage.				
H315	Causes skin irritation.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H335	May cause respiratory irritation.			
H410	Very toxic to aquatic life with long lasting effects.			

16.6. Training advice

Persons charged with the handling and cleaning of the product must be trained prior to start their work and in regular intervals. They must be informed about the risks using the product and the mesures to take for efficient prevention. This concerns particularly working security, first aid, health and environment protection.

16.7. Additional information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new madeup material.

	*	Data	changed	compared	l with the	previous	version.
--	---	------	---------	----------	------------	----------	----------